

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17209	(707/1-6).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/12/31 09:16
L2	0	("1andopac").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/12/31 09:16
L3	6	1 and opac	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:17
L4	1	opac same quer\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:18
L5	0	"parametric aggregation constraints"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:21
L6	0	n-dimentional near vector same constraints and aggregation near constraints	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:24
L7	0	n-dimentional near vector same constraints	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:23
L8	0	n-dimentional same vector same constraints	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:23

## EAST Search History

L9	6133	vector same constraints	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:23
L10	0	vector same constraints and aggregation near constraints	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:24
L11	4	vector same constraints and aggregation near constraints	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:24
L12	2054	query near optimiz\$6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:24
L13	954	12 and database same index	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:25
L14	169	13 and vector\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:25
L15	4	14 and knapsack	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:29
L16	4	15 and (partition\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:33

## EAST Search History

L17	0	16 and pointer\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:29
L18	0	knapsack same relation same database	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:31
L19	69	knapsack same relation	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:31
L20	22	19 and @ad<"20040421"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:41
L21	4	16 and vector	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:33
L22	4	21 and approximation	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:35
L23	0	22 and n-dimentional	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:38
L24	4702	1 and database same relational	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:38

## EAST Search History

L25	0	24 and (vector same constraints)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:38
L26	15	(vector same constraints)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:39
L27	259	r-tree	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:40
L28	0	21 and 27	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:40
L29	125	27 and database same relation\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:41
L30	51	29 and partition\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:41
L31	47	30 and @ad<"20040421"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:42
L32	20	31 and approximation	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:44

## EAST Search History

L33	12	32 and vector\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:45
L34	3	33 and (aggregation and index)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:48
L35	3	34 and rectangle	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 09:48



Welcome United States Patent and Trademark Office.

Search Session History

BROWSE

SEARCH

IEEE XPLORE GUIDE

Sun, 31 Dec 2006, 9:52:51 AM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 ((query optimization)<in>metadata)
- #2 (((query optimization)<in>metadata)<AND>((query optimization)<in>metadata) and vector)
- #3 ((((((query optimization)<in>metadata)<and>((query optimization)<in>metadata) and vector)<AND>(((query optimization)<in>metadata)<and>((query optimization)<in>metadata) and vector)))
- #4 (((((((query optimization)<in>metadata)<and>((query optimization)<in>metadata) and vector)<and>(((query optimization)<in>metadata)<and>((query optimization)<in>metadata) and vector)))<AND>((((query optimization)<in>metadata)<and>((query optimization)<in>metadata) and vector)<and>(((query optimization)<in>metadata)<and>((query optimization)<in>metadata) and vector))and aggregation)

